




*- high quality furniture fittings*


**SISO Lighting**  
**2008**

# Kitchen Lights





### Profile D




Recessed light with fluorescent lamp.  
Integrated ballast.  
2 m cable with Schuko plug  
Lighting covers made of alu profiles and soft-tone acrylic glass

Model/Type	Art.-No.	Length
8 watt	10020	575 mm
13 watt	10021	795 mm




### Profile E




Recessed light with energy saving lamp.  
Integrated ballast.  
2 m cable with Schuko plug.  
Lighting covers made of alu profiles and soft-tone acrylic glass.

Model/Type	Art.-No.	Length
11 watt	10033	430 mm
2 x 9 watt	10036	595 mm
2 x 11 watt	10039	895 mm



### Profile HS




Recessed light with halogen lamps.  
External electronic transformer 60 VA.  
Switch 1,5 m cable with AMP-connector  
Lighting covers made of alu profiles and soft-tone acrylic glass.

Model/Type	Art.-No.	Length
2 x 20 watt	10042	450 mm
2 x 20 watt	10043	600 mm
3 x 20 watt	10044	900 mm



The lights are also available in special lengths and with plugs according to national specification

#### Mounting clips



45° assembly




horizontal assembly


#### Assembly examples



niche



recessed




indirect



## Tubular KRDD



In Vorbereitung



Kitchen light with integrated rail-system made of aluminium profiles

electronic ballast integrated in the light tube

switch integrated in the profile

the rail (Ø 16 mm) fits with all available accessory parts

2 m connecting cable with plug

Model/Type	Wattage	Art.-No.	Length
Tubular KRDD 60	8 watt	10111	600 mm
Tubular KRDD 90	13 watt	10112	900 mm
Tubular KRDD 120	21 watt	10113	1200 mm



### Advantages of the light

#### 1. Electronic ballast

- immediate start of the tube
- longer lifetime of the tube
- no flickering of the tube

#### 2. Switch integrated in the bottom of the profile


- you can assemble the lights side by side

#### 3. Easy assembly

- you can screw the light directly on the cupboard



## Plateau K



Kitchen light made of aluminium with frosted glass cover

electronic ballast integrated in the light

switch integrated in the side plate.

Very easy to assemble - you must not open the light to fix it on the cupboard.

2 m connection cable with plug

Model/Type	Wattage	Art.-No.	Length
Plateau K 60	13 watt	10015	600 mm
Plateau K 100	21 watt	10016	1000 mm



Advantages of the light:

**1. Electronic ballast**

- Softstart of the tube
- longer lifetime of the tube
- higher lighting output
- no flickering of the tube

**2. Glare-free illuminating**

- the frosted glass cover scatters the light and guarantees a harmonic and glare-free illumination of the work surface

**3. Easy assembly**


- the light will be fixed with a special profile - you must not remove the glass and the tube to fix the light.



## Kitchen light with frosted glass cover




### Emotion




Kitchen light with frosted glass cover  
20 watt halogen lamp  
1,5 m cable with AMP-connector

Model/Type	Art.-No.	Length
Emotion	10000	200 mm
Emotion 2-er Set	19000	
Emotion 3-er Set	19001	

## Cupboard- or mirror light with frosted glass cover



### Emotion A





Cupboard- or mirror light with frosted glass cover  
20 watt halogen lamp  
15 cm cable with AMP-connector

Model/Type	Art.-No.	Length
Emotion A	30000	175 mm
Emotion A 2-er Set	39000	
Emotion A 3-er Set	39001	

## Illuminated shelf



## Miss



Wall light with lightened pane of glass

with fluorescent tube or LED-lights

aluminium housing

satinated pane of glass


1,5 m cable with euro-plug

Model/Type	Wattage	Art.-No.	Length
Miss 60	13 Watt	20250	600 mm
Miss 90	13 Watt	20251	900 mm

## Glass board with integrated LED - lamp's




### LED Bord S




Glass bord made of aluminium profile with integrated LED lamp's, satinated glass pane, switch

2 m cable with AMP plug



Model/Type	lamps	Art.-No.	Length
LED Bord S 450	13xLED		450 mm
LED Bord S 600	18xLED		600 mm
LED Bord S 900	27xLED		900 mm

## Glass board light with halogen- or LED-lamps



Light to stick behind glass shelves, made of aluminium profile with integrated halogen or LED lamps

2 m cable with AMP plug

special length can be realized


Model/Type	lamps	Art.-No.	Length
Glass Back H460	2x10 W		460 mm
Glass Back H660	2x10 W		660 mm
Glass Back L460	9xLED		460 mm
Glass Back L660	13xLED		660 mm



## Kitchen light with acrylic glass cover



## Quado K




Kitchen light with acrylic glass cover  
15 watt energy saving lamp  
2 m cable with schuko plug

Model/Type	Art.-No.	Length
Quado K alu	10140	260 mm

## Kitchen light with acrylic glass cover



## Solair K




Kitchen light with acrylic glass cover  
15 watt energy saving lamp  
2 m cable with schuko plug

Model/type	Art.-No.	Length
Solair K steel	10130	260 mm
Solair K alu	10130	260 mm

## Cupboard or shelf-lights



### Glas Twist




Halogen light made of glass with turnable dicroix spot Ø51 mm, 20 watt Ø51 mm

15 cm cable with AMP-connector

Model/Type	Colour	Art.-No.
Glas Twist	frosted glass	30010
Glas Twist	mastercarré	30011
Glas Twist	masterpoint	30012



### Profile HAF




Cupboard light made of aluminium

halogen lamp 20 watt, soft-tone acrylic cover, 1,5 m cable with AMP-plug

Model/Type	Colour	Art.-No.
Profile HAF 20	alu	30090



### Luna



Cupboard light made of chrome tube, halogen lamp 20 watt, soft-tone glass tube

0,7 m cable with AMP-plug


Model/Type	Colour	Art.-No.
Luna 400	chrome	30300

# Bathroom- Mirror- and Cupboard-Lights





## Tubular Stream C



💡 Advantage: high-class optic because you only see the light area of the tube. The sockets, which are visible at standard lights are covered



Chromium plated cupboard- or mirror light with fluorescent lamps 13 or 21 watt - minimal diameter of the tube Ø 34 mm

prismatic acrylic cover

external **electronic** ballast

Advantages: immediate start of the lamp, no flickering of the lamp

chromium plated metal bow

1m connecting cable with stripped ends

colour: chrome


Model/Type	Wattage	Art.-No.	Length
Tubular Stream C 65	13 watt	30210	650 mm
Tubular Stream C 100	21 watt	30212	1000 mm

💡 Special lengths are available at an order quantity of 100 pieces

Mirror- or bathroom light with satinated acrylic cover



## Tubular Stream ASSML




- Mirror light with satinated cover
- external electronic ballast
- flat alu-metal bow
- 1m cable with stripped ends
- colour: alu

Model/Type	Wattage	Art.-No.	Length
Tubular Stream ASSML 50	8 Watt	30271	500 mm
Tubular Stream ASSML 70	24 Watt	30273	700 mm
Tubular Stream ASSML 100	21 Watt	30276	1000 mm
Tubular Stream ASSML 130	28 Watt	30278	1300 mm

Mirror- or bathroom light with satinated acrylic cover



## Clou Stream



- Mirror light with satinated cover
- external electronic ballast
- flat alu-metal bow
- 1m cable with stripped ends
- colour: alu

Model/Type	Wattage	Art.-No.	Length
Clou Stream 600	2x9 Watt	30298	600 mm
Clou Stream 800	24 Watt	30293	800 mm


 Special lengths are available at a order-quantity of 100 pieces



## Cupboard light with acrylic cover



### Clou Duo




Cupboard light with soft-tone acrylic cover  
2 x 10 or 2 x 20 watt halogen lamps  
1,5 m cable with AMP-connector

Model/Type	Wattage	Art.-No.
Clou Duo	2 x 10 Watt	30250
Clou Duo	2 x 20 Watt	30250

## Cupboard light with acrylic cover



### Clou Big




Cupboard light with soft-tone acrylic cover  
2 x 10 or 2 x 20 watt halogen lamps  
1,5 m cable with AMP-connector

Model/Type	Wattage	Art.-No.
Clou Big	2 x 10 Watt	30290
Clou Big	2 x 20 Watt	30290



## Profile HAF



Cupboard light made of aluminium profiles  
with halogen lamps 20 watt

soft-tone covers for the halogen lamp

flat aluminium light bow

1,5 m cable with AMP-connector

colour: alu




Model/Type	Wattage	Art.-No.	Length
Profile HAF 20	20 watt	30090	200 mm
Profile HAF 35	2 x 20 watt	30091	350 mm
Profile HAF 70	3 x 20 watt	30093	700 mm

 Special lengths are available at an order quantity of 100 pieces



## Square A




- Cupboard light made from aluminium profiles with energy saving or fluorescent lamp
- satinated acrylic-glass cover
- integrated ballast
- flat alu-metal bow
- 1m connecting cable with stripped ends


Model/Type	Wattage	Art.-No.	Length
Square AC	13 Watt	30320	600 mm
Square A	13 Watt	30311	650 mm

colour: chrome and alu

## Mirror- or cupboard light made from aluminium profiles



## Profile EA



- Cupboard light made from aluminium profiles with energy saving lamp
- satinated acrylic-glass cover
- integrated ballast
- flat alu-metal bow
- 1m connecting cable with stripped ends


Model/Type	Wattage	Art.-No.	Length
Profile EA	11 Watt	30071	556 mm

colour: alu

Special lenghts and types can be realized for orders of 100 pcs. at the minimum



## Mirror SW



Mirror- and bathroom light with switch or schuko socket  
 special housing to assemble the light on walls or furniture  
 15 watt energy saving lamp. Mirror DW (2 x 15 watt)  
 frosted acrylic glass cover  
 clamp in the housing or connecting cable

Model/Type	Colour	Art.-No.
Mirror SW	alu	20050
Mirror W	alu	20040
Mirror DW	alu	20060

## Mirror W



## Mirror DW






## Mirror Set



Assembly



Mirror- and bathroom light with integrated switch and socket

2 x 15 watt energy saving lamp or  
2 x 40 watt E14 bulb

frosted acrylic glass or glass cover

Model/Type	Colour	Art.-No.
Mirror Set E	chrome	20020
Mirror Set K	chrome	20025



Mirror- and bathroom light without switch and socket

Model/Type	Colour	Art.-No.
Mirror E	chrome	20267
Mirror K	chrome	20275






Chromium plated wall- or mirror light made of aluminium profiles



## Tubular Solitär C



Wall- or mirror light made of chromium plated aluminium profiles with a 13 watt fluorescent lamp  
- minimal diameter of the tube Ø 34 mm

prismatic acrylic cover - partly chromium plated  
Advantage: high-class optic because you only see the light area of the tube. The sockets, which are visible at standard lights, are covered


integrated **electronic** ballast  
Advantage: immediate start of the lamp  
no flickering of the lamp

connecting clamp in the tube


colour: chrome

Model/Type	Wattage	Art.-No.	Height
Tubular Solitär C 84	13 watt	20190	840 mm

 Special lengths are available at an order quantity of 100 pieces



**Quado**  
**Quado S**



rectangular bath- and mirror light  
with satinated acrylic cover


- with fluorescent or energy saving lamp
- satinated acrylic cover
- with or without switch
- 1 m cable with stripped ends
- colour: chrome




Example for application



Model/Type	Wattage	Art.-No.	Length
Quado	24 Watt	20266	600 mm
Quado	18 Watt	20073	662 mm
Quado	24 Watt	20075	700 mm
Quado	24 Watt	20270	800 mm
Quado S	15 Watt	20264	260 mm
Quado S	24 Watt	20265	700 mm



**Solair**  
**Solair S**



bath- and mirror light with  
satinated acrylic cover

- with fluorescent or energy saving lamp
- satinated acrylic cover
- with or without switch
- 1 m cable with stripped ends
- colour: chrome

Example for application



Model/Type	Wattage	Art.-No.	Length
Solair	24 Watt	20115	698 mm
Solair S	15 Watt	20263	260 mm
Solair S	24 Watt	20115	698 mm

# Living- and bedroom lights






## Tubular S Tubular S Sensor




In Vorbereitung




Wardrobe light with integrated fluorescent lamp  
ballast integrated in the assembly housing  
switch or sensor in front of the assembly housing  
plastic cover on the top of the profile for easier gliding  
and to protect the profile against scratching  
2 m connecting cable with plug

Model/Type	Wattage	Art.-No.	Length
Tubular S 58	8 watt	40030	580 mm
Tubular S 77	13 watt	40034	770 mm
Tubular S 88	13 watt	40038	880 mm
Tubular S 97	13 watt	40043	970 mm
Tubular S 116	13 watt	40047	1160 mm


Model/Type	Wattage	Art.-No.	Length
Tubular SS 58	8 watt	40050	580 mm
Tubular SS 77	13 watt	40054	770 mm
Tubular SS 88	13 watt	40062	880 mm
Tubular SS 97	13 watt	40057	970 mm
Tubular SS 116	13 watt	40059	1160 mm

 plastic cover on the top of the profile for easier gliding of the coat hangers and to protect the profile against scratching.



 Movement switch for automatic switch-on when you open the door

The light will be switched-off automatically after 3 minutes.




 Special lengths can be realized at an order quantity of 100 pieces



## Wardrobe light with movement switch



### Profile B




Furniture light made of aluminium with movement switch


- slim design, easy to assemble
- with fluorescent tube or energy saving lamp
- soft-tone acrylic glass cover
- 2 m cable with plug
- colour: alu

Model	Wattage	Art.-No	Length
Profile BL	8 W	40020	770 mm
Profile BE	9 W	40087	550 mm


#### Assembly examples



#### Orientation light under the bed




#### Wardrobe light



## Reading-light made of aluminium with halogen lamp



## Flex Point



Bed- and reading lamp made of aluminium profile

5 watt halogen lamp

switch integrated in the profile

acrylic glass cover


flexible metal tube

2 m cable with AMP-plug

Model/Type	Wattage	Art.-No.	Length
Flex Point	5 watt	20000	300 mm
Flex Point 1-er Set		29000	
Flex Point 2-er Set		29002	

Sets with plug-in transformer 10 VA

## Reading-light with tube-to-bed-adapter




Modell/Type	Wattage	Art.-No.	Length
Flex Point A	5 watt	20000	300 mm
Flex Point A 2-er Set		29012	

Sets with plug-in transformer 10 VA

Cupboard light with acrylic glass cover



**Clou**




Cupboard light with acrylic glass cover  
 10 or 20 watt halogen lamp  
 30 cm cable with AMP-connector

Model/Type	Wattage	Art.-No.
Clou	10 Watt	30240
Clou	20 Watt	30240

Cupboard light with acrylic glass cover



**Clou R**




Cupboard light with acrylic glass cover  
 10 or 20 watt halogen lamp  
 30 cm cable with AMP-connector

Model/Type	Wattage	Art.-No.
Clou R	10 Watt	
Clou R	20 Watt	

## Cupboard light with acrylic glass cover



### Wave




Cupboard light with acrylic glass cover  
20 watt halogen lamp  
20 cm cable with AMP-connector

Model/Type	Wattage	Art.-No.	Length
Wave 150	20 Watt		150 mm
Wave 300	2x20 Watt	30297	300 mm

## Cupboard light with acrylic glass cover



### Wave L




Cupboard light with acrylic glass cover  
T5 fluorescent compact light  
1,5 m cable with Euro-plug

Model/Type	Wattage	Art.-No.	Length
Wave L	13 Watt		600 mm
Wave L	21 Watt		900 mm

## Drawer light with LED's and battery



### Case LED



Case light with 6 integrated LED lamps

touchless magnetic switch

9 volt battery or 2 m cable with AMP-connector




Model	Colour	Wattage	Art-No.
Case LED B	grey	0,7 W	40099
Case LED C	grey	0,7 W	


B = Battery  
C = cable

### Example for Application


Drawer closed - light off!




Drawer opened - light on!



# Clip light with integrated LED - lamp



## Clip LED



Clip light with two integrated LED-lamps to clip a glass base of 4-10 mm thickness.

1 m cable with AMP-plug.


Available as single light or as set.



Model/Type	Colour	Wattage
Clip LED W	silver	0,25 W
Clip LED W	chrome	0,25 W
Clip LED B	silver	0,25 W
Clip LED B	chrome	0,25 W

W = light colour white  
B = light colour blue

Application example in a glass cabinet (set of 4)



### Advantages:

- Clip light variable to be placed
- a minimum of heat development
- high durability
- minimum wattage
- high mechanic capacity




## Twistable cupboard light with LED´s



### Twist Down

**CE** 



Surface mounted-, wall- or reading light with nine integrated LED lamps

70 degrees twistable

touchless magnetic switch


Model/type	colour	wattage
Twist Down	silver	1.0 W
Twist Down	silver/black	1.0 W
Twist Down	chrome	1.0 W

## Cupboard light with LED´s



### Nove Top

**CE** 



Cupboard light with 9 integrated LED-lamps


30 cm cable with AMP-plug

Model	colour	Wattage
Nove Top	silver/black	1.0 W
Nove Top	steel/black	1.0 W
Nove Top	chrome/black	1.0 W

## Cupboard light with LED's



## Sedici Top



Cupboard light with 16 integrated LED-lamps

1,5 m cable with AMP-plug

Model	Colour	Wattage	Art. No.
Sedici Top	black	1.3 W	30322
Sedici Top	silver	1.3 W	30322


Wall- or cupboard light made of aluminium with frosted cover



Cover on the front side in different designs deliverable (ex. Stainless steel)

If mounted on the wall it can be used as illuminated shelf

## Stratos DS



Wall- or cupboard made of aluminium profile with frosted acrylic cover.

Integrated T5 compact lamp

Switch integrated underneath the aluminium profile.


2 m cable with schuko plug

Modell/Type	Wattage	Art.-Nr.	Length
Stratos DS	13 Watt		600 mm
Stratos DS	21 Watt		900 mm
Stratos DS	28 Watt		1200 mm

Cupboard- or mirror light made of aluminium profile



## Stratos A




- Cupboard light made of aluminium profile with fluorescent tube
- satinated acrylic cover with a decor coverage in front (design chooseable)
- flat bow
- 1,5 m cable with Euro plug

Colour: Aluminium/chrome

Model/Type	Wattage	Art. No.	Length
Stratos A	13 Watt	20285	570 mm
Stratos A	21 Watt	20286	900 mm


## Electronic transformer



- Electronic transformer 60 and 105 VA
- 3 m connecting cable with Euro-plug
- 6 x AMP

Model/Type	Power	Art.No.
Eltra 60	60 VA	tr0010
Eltra 105	105 VA	tr0001


## Electronic transformer with foot switch



- Electronic transformer 60 VA
- 2 m cable/foot switch/4m cable for the transformer
- 6 x AMP

Model/Type	Power	Art.No.
Eltra 60 F	60 VA	tr0004


## Electronic LED plug in transformer



- Electronic LED plug transformer 400 mA
- 2 m cable 2xAMP or 5,8 m cable foot switch and 6 x AMP

Model/Type	Power	Art.No.	AMP
Steckertrafo AC	400 mA	tr0023	2 fold
Steckertrafo AC	400 mA	tr0028	6 fold

## Electronic LED Driver



- Electronic LED Driver 10W/800 mA
- 2 m cable
- 6 x AMP

Model/Type	Power	Art.No.
Driver AC	800 mA	tr0024









*- high quality furniture fittings*

**SISO A/S**

Mileparken 11 Phone: (+45) 45 830 900  
DK - 2740 Skovlunde (Copenhagen) Fax: (+45) 45 830 444  
Denmark E-mail: [siso@siso.dk](mailto:siso@siso.dk) Web: [www.siso.dk](http://www.siso.dk)