

»Passion« Glass Design



- a thousand opportunities

- *high quality furniture fittings*





Centre Hinge
»SQUARE«



Passion Glass Design

Since 1956 our company has been operating as a major supplier to the **furniture industry** world wide.

During the last 6 years we have continuously extended and developed our range within fittings for glass, resulting in SISO becoming a supplier to companies making showcases, base boards, shop fittings and shop constructions etc.

During this period we however discovered that the existing solutions in the market within glass fittings, were incomplete. Nobody could present to us a design where glass door locks, glass door hinges and glass door handles are matching in design and finish.

With the introduction of the Passion glass design this has been changed.

The concept consists of two different designs: »BADGE« which is curved and »SQUARE« which has more straight lines.

The series has already been design registered in the EU, Thailand and China. Furthermore there is a patent pending in the EU for the whole idea behind this unique design.



Double Door Lock
»SQUARE«



Concept »SQUARE«
Page 4-11

Hinges,
Locks, Strikers
& Handles



Double Door Handles
»BADGE«



Concept »BADGE«
Page 12-19

Hinges,
Locks, Strikers
& Handles



»Millennium« Slam Lock
»BADGE«

Connection to Millennium Wood series:


Together with the award winning designer Jesper Møller Hansen, SISO has developed the Passion glass concept. A concept which has its origin in the Millennium wood furniture locks which SISO presented at the Interzum fair in Cologne Germany in 2001.



GLASS DOOR HINGE »SQUARE«




Top & Bottom Hinges
»SQUARE«



GLASS DOOR HINGE »SQUARE«
F/INSET DOORS - TOP & BOTTOM

Application:

- Glass door hinge with catch for inset doors. Top & bottom fixation
- No boring required but possible by using the extra extension screw supplied.
- F/Glass thickness 4-6 mm
- 90 or 180 Degrees opening depending on fixation
- Horizontal screw fixation
- Max door size: 1000 x 400 mm



Specification:

Material	Finish	Item No.
Zamak	Chrome Plated	#15.06.210
Zamak	Alu Finish	#15.06.211
Zamak	Black Anodized	#15.06.212
Zamak	Gold Plated	#15.06.213
Zamak	Bronze Plated	#15.06.214

Packing:
240 Pairs (1 Top + 1 Bottom) per export carton

Each hinge is supplied with:
1 ABS plastic screw w/soft PVC-tip for tight fastening without boring and 1 ABS plastic screw w/hard ø5 x 3,5 mm ABS extension when boring required.

Optional: Metal screw w/ soft tip, 4 mm Hex

Material	Finish	Item No.
Steel	Bright zinc	#15.06.243

GLASS DOOR HINGE »SQUARE«

- high quality furniture fittings



GLASS DOOR HINGE »SQUARE«
F/INSET DOORS - CENTRE



Centre Hinge
»SQUARE«

Application:

- Glass door hinge with catch for inset doors. Centre – or top fixation for rounded doors
- For right & left hand doors
- No boring required but possible by using the extra extension screw supplied.
- F/Glass thickness 4-6 mm
- 90 or 180 Degrees opening depending on fixation
- Horizontal screw fixation
- Max door size: 1000 x 400 mm



Specification:



Material	Finish	Item No.	R/L
Zamak	Chrome Plated	#15.06.230/255	
Zamak	Alu Finish	#15.06.231/256	
Zamak	Black Anodized	#15.06.232/257	
Zamak	Gold Plated	#15.06.233/258	
Zamak	Bronze Plated	#15.06.234/259	

Packing: 240 Pcs per export carton


Each hinge is supplied with:
1 ABS plastic screw w/soft PVC-tip for tight fastening without boring and 1 ABS plastic screw w/hard $\varnothing 5 \times 3,5$ mm ABS extension when boring required.

Optional: Metal screw w/ soft tip, 4 mm Hex

Material	Finish	Item No.
Steel	Bright zinc	#15.06.243



ABS plastic screws



Optional: Metal screw 5

GLASS DOOR HANDLE SINGLE »SQUARE«





Glass Door Handle Single »SQUARE«




**GLASS DOOR HANDLE »SQUARE«
F/SINGLE DOORS**

Application:

- Glass door handle for single doors
- No boring required but possible by using the extra extension screw supplied.
- F/Glass thickness 4-6 mm



ABS plastic screws



Optional: Metal screw

Specification:

Material	Finish	Item No.
Zamak	Chrome Plated	#17.40.060
Zamak	Alu Finish	#17.40.061
Zamak	Black Anodized	#17.40.062
Zamak	Gold Plated	#17.40.063
Zamak	Bronze Plated	#17.40.064

Packing: 240 Pcs per export carton

Each handle is supplied with:
1 ABS plastic screw w/soft PVC-tip for tight fastening without boring and 1 ABS plastic screw w/hard $\varnothing 5 \times 3,5$ mm ABS extension when boring required.

Optional: Metal screw w/ soft tip, 4 mm Hex

Material	Finish	Item No.
Steel	Bright zinc	#15.06.243



Glass Door Handle
»SQUARE« f/Double Doors

**GLASS DOOR HANDLE »SQUARE«
F/DOUBLE DOORS**

Application:

- Glass door hinge for double doors
- Side-wall cut for minimising the gab between the glass doors.
- No boring required but possible by using the extra extension screw supplied.
- F/Glass thickness 4-6mm



Specification:



Material	Finish	Item No.
Zamak	Chrome Plated	#17.40.080
Zamak	Alu Finish	#17.40.081
Zamak	Black Anodized	#17.40.082
Zamak	Gold Plated	#17.40.083
Zamak	Bronze Plated	#17.40.084

Packing:
240 Pairs (1 Left + 1 Right) per export carton


Each handle is supplied with:
1 ABS plastic screw w/soft PVC-tip for tight fastening without boring and 1 ABS plastic screw w/hard $\varnothing 5 \times 3,5$ mm ABS extension when boring required.

Optional: Metal screw w/ soft tip, 4 mm Hex

Material	Finish	Item No.
Steel	Bright zinc	#15.06.243



ABS plastic screws



Optional: Metal screw

GLASS DOOR LOCK »SQUARE« F/SINGLE DOORS




**Glass Door Lock »SQUARE«
f/Single doors**



**GLASS DOOR LOCK »SQUARE«
F/SINGLE DOORS**

Application:

- Glass door lock for single doors
- No boring required
- F/Glass thickness 4-5 mm
- 400 Key combinations or key alike
- Optional with master key & interchangeable system



8

ABS plastic screws

Specification:

Material	Finish	Item No.
Zamak	Chrome Plated	#14.09.520
Zamak	Alu Finish	#14.09.521
Zamak	Black Anodized	#14.09.522
Zamak	Gold Plated	#14.09.523
Zamak	Bronze Plated	#14.09.524

Packing: 240 Pcs per export carton

Each lock is supplied with:
 2 SISO metal keys
 2 ABS plastic screw w/soft PVC-tip for tight fastening without boring
 1 Flat metal striking plate (not illustrated)

DOUBLE DOOR STRIKER F/SINGLE DOOR LOCK »SQUARE«

- high quality furniture fittings



Application:

- Double door striker f/single glass door lock
- No boring required
- F/Glass thickness 4-5 mm



Specification:

Material	Finish	Item No.
Zamak	Chrome Plated	#14.09.530
Zamak	Alu Finish	#14.09.531
Zamak	Black Anodized	#14.09.532
Zamak	Gold Plated	#14.09.533
Zamak	Bronze Plated	#14.09.534

Packing:
240 Pcs per export carton

Each striker is supplied with:
2 ABS plastic screw w/soft PVC-tip for tight fastening without boring.



ABS plastic screws

EDGE STRIKER F/SINGLE DOOR LOCK »SQUARE«

Application:

- Edge striker f/single glass door lock
- To be used when the glass door is to be flush with the edge of the cabinet
- Knock-in pins. Bore: \varnothing 5 x 9 mm




Specification:

Material	Finish	Item No.
Zamak	Chrome Plated	#14.09.535
Zamak	Alu Finish	#14.09.536
Zamak	Black Anodized	#14.09.537
Zamak	Gold Plated	#14.09.538
Zamak	Bronze Plated	#14.09.539

Packing:
480 Pcs per export carton



GLASS DOOR LOCK »SQUARE« F/DOUBLE DOORS





Glass Door Lock »SQUARE«
f/Double Doors



GLASS DOOR LOCK »SQUARE« F/DOUBLE DOORS

Application:

- Glass door lock for double doors
- No boring required
- F/Glass thickness 4-5 mm
- 400 Key combinations or key alike
- Optional with master key & interchangeable system



Specification:

Material	Finish	Item No.
Zamak	Chrome Plated	#14.09.555
Zamak	Alu Finish	#14.09.556
Zamak	Black Anodized	#14.09.557
Zamak	Gold Plated	#14.09.558
Zamak	Bronze Plated	#14.09.559

Packing: 240 Pcs per export carton

Each lock is supplied with:
 2 SISO metal keys
 2 ABS plastic screw w/soft PVC-tip for tight fastening without boring
 1 Flat metal striking plate (not illustrated)

EDGE STRIKER F/DOUBLE DOOR LOCK »SQUARE«

Application:

- Edge striker f/double glass door lock
- To be used when the glass door is to be flush with the edge of the cabinet
- Knock-in pins. Bore: \varnothing 5 x 9 mm



Specification:

Material	Finish	Item No.
Zamak	Chrome Plated	#14.09.565
Zamak	Alu Finish	#14.09.566
Zamak	Black Anodized	#14.09.567
Zamak	Gold Plated	#14.09.568
Zamak	Bronze Plated	#14.09.569

Packing:
480 Pcs per export carton

SISO METAL KEYS

Design to the fingertip

Application:

- 400 Key combinations or key alike
- Optional with master key & interchangeable system




GLASS DOOR HINGE, F/ALU FRAMES »SQUARE«






GLASS DOOR HINGE F/ALU FRAMES »SQUARE« F/INSET DOORS - TOP & BOTTOM

Application:

- Glass door hinge with catch for inset doors. Top & bottom fixation
- No boring required but possible by using the extra extension screw supplied.
- F/Glass thickness 4-6 mm
- 110 Degree opening depending on fixation
- Horizontal screw fixation
- Max door size: 1000 x 400 mm



ABS plastic screws



Optional: Metal screw

Specification:

Material	Finish	Item No.
Zamak	Chrome Plated	#15.06.215
Zamak	Alu Finish	#15.06.216
Zamak	Black Anodized	#15.06.217
Zamak	Gold Plated	#15.06.219
Zamak	Bronze Plated	#15.06.218

Packing:

240 Pairs (1 Top + 1 Bottom) per export carton

Each hinge is supplied with:

1 ABS plastic screw w/soft PVC-tip for tight fastening without boring and 1 ABS plastic screw w/hard ø5 x 3,5 mm ABS extension when boring required.

Optional:

Metal screw w/ soft tip, 4 mm Hex

Material	Finish	Item No.
Steel	Bright zinc	#15.06.243



GLASS DOOR HINGE, F/ALU FRAMES »SQUARE« F/INSET DOORS - CENTRE

Application:

- Glass door hinge with catch for inset doors. Centre – or top fixation for rounded doors
- For right & left hand doors
- No boring required but possible by using the extra extension screw supplied.
- F/Glass thickness 4-6 mm
- 110 Degree opening depending on fixation
- Horizontal screw fixation
- Max door size: 1000 x 400 mm

Specification:


Material	Finish	Item No. R/L
Zamak	Chrome Plated	#15.06.235/260
Zamak	Alu Finish	#15.06.236/261
Zamak	Black Anodized	#15.06.237/262
Zamak	Gold Plated	#15.06.238/263
Zamak	Bronze Plated	#15.06.239/264

Packing: 240 Pcs per export carton


Each hinge is supplied with:
1 ABS plastic screw w/soft PVC-tip for tight fastening without boring and 1 ABS plastic screw w/hard $\varnothing 5 \times 3,5$ mm ABS extension when boring required.

Optional: Metal screw w/ soft tip, 4 mm Hex


Material	Finish	Item No.
Steel	Bright zinc	#15.06.243



ABS plastic screws



Optional: Metal screw





GLASS DOOR HINGE »BADGE«
F/INSET DOORS - TOP & BOTTOM


Application:

- Glass door hinge with catch for inset doors. Top & bottom fixation
- No boring required but possible by using the extra extension screw supplied.
- F/Glass thickness 4-6 mm
- 90 or 180 Degrees opening depending on fixation
- Horizontal screw fixation
- Max door size: 1000 x 400 mm

Top & Bottom Hinges
»BADGE«



ABS plastic screws



Optional: Metal screw

Specification:

Material	Finish	Item No.
Zamak	Chrome Plated	#15.06.200
Zamak	Alu Finish	#15.06.201
Zamak	Black Anodized	#15.06.202
Zamak	Gold Plated	#15.06.203
Zamak	Bronze Plated	#15.06.204

Packing:

240 Pairs (1 Top + 1 Bottom) per export carton

Each hinge is supplied with:

1 ABS plastic screw w/soft PVC-tip for tight fastening without boring and 1 ABS plastic screw w/hard $\varnothing 5 \times 3,5$ mm ABS extension when boring required.

Optional:

Metal screw w/ soft tip, 4 mm Hex


Material	Finish	Item No.
Steel	Bright zinc	#15.06.243

GLASS DOOR HINGE »BADGE«

- high quality furniture fittings



GLASS DOOR HINGE »BADGE«
F/INSET DOORS - CENTRE



Centre Hinge
»BADGE«

Application:

- Glass door hinge with catch for inset doors. Centre – or top fixation for rounded doors
- For right & left hand doors
- No boring required but possible by using the extra extension screw supplied.
- F/Glass thickness 4-6 mm
- 90 or 180 Degrees opening depending on fixation
- Horizontal screw fixation
- Max door size: 1000 x 400 mm



Specification:



Material	Finish	Item No. R/L
Zamak	Chrome Plated	#15.06.220/245
Zamak	Alu Finish	#15.06.221/246
Zamak	Black Anodized	#15.06.222/247
Zamak	Gold Plated	#15.06.223/248
Zamak	Bronze Plated	#15.06.224/249

Packing: 240 Pcs per export carton


Each hinge is supplied with:
1 ABS plastic screw w/soft PVC-tip for tight fastening without boring and 1 ABS plastic screw w/hard $\varnothing 5 \times 3,5$ mm ABS extension when boring required

Optional: Metal screw w/ soft tip, 4 mm Hex

Material	Finish	Item No.
Steel	Bright zinc	#15.06.243



ABS plastic screws



Optional: Metal screw 15

GLASS DOOR HANDLE SINGLE »BADGE«



Glass Door Handle Single
»BADGE«





GLASS DOOR HANDLE »BADGE«
F/SINGLE DOORS




Application:

- Glass door handle for single doors
- No boring required but possible by using the extra extension screw supplied.
- F/Glass thickness 4-6 mm



ABS plastic screws



Optional: Metal screw

Specification:

Material	Finish	Item No.
Zamak	Chrome Plated	#17.40.050
Zamak	Alu Finish	#17.40.051
Zamak	Black Anodized	#17.40.052
Zamak	Gold Plated	#17.40.053
Zamak	Bronze Plated	#17.40.054

Packing: 240 Pcs per export carton

Each handle is supplied with:
1 ABS plastic screw w/soft PVC-tip for tight fastening without boring and 1 ABS plastic screw w/hard $\varnothing 5 \times 3,5$ mm ABS extension when boring required.

Optional: Metal screw w/ soft tip, 4 mm Hex

Material	Finish	Item No.
Steel	Bright zinc	#15.06.243



Glass Door Handle
»BADGE« f/Double Doors

GLASS DOOR HANDLE »BADGE«
F/DOUBLE DOORS

Application:

- Glass door handle for double doors
- Side-wall cut for minimising the gap between the glass doors.
- No boring required but possible if needed due to an extra extension screw.
- F/Glass thickness 4-6 mm



Specification:



Material	Finish	Item No.
Zamak	Chrome Plated	#17.40.070
Zamak	Alu Finish	#17.40.071
Zamak	Black Anodized	#17.40.072
Zamak	Gold Plated	#17.40.073
Zamak	Bronze Plated	#17.40.074

Packing:
240 Pairs (1 Left + 1 Right) per export carton

Each handle is supplied with:
1 ABS plastic screw w/soft PVC-tip for tight fastening without boring and 1 ABS plastic screw w/hard $\varnothing 5 \times 3,5$ mm ABS extension when boring required.

Optional: Metal screw w/ soft tip, 4 mm Hex

Material	Finish	Item No.
Steel	Bright zinc	#15.06.243



ABS plastic screws



Optional: Metal screw

GLASS DOOR LOCK »BADGE« F/SINGLE DOORS





**Glass Door Lock »BADGE«
f/Single doors**



**GLASS DOOR LOCK »BADGE«
F/SINGLE DOORS**

Application:

- Glass door lock for single doors
- No boring required
- F/Glass thickness 4-5 mm
- 400 Key combinations or key alike
- Optional with master key & interchangeable system



ABS plastic screws

Specification:

Material	Finish	Item No.
Zamak	Chrome Plated	#14.09.500
Zamak	Alu Finish	#14.09.501
Zamak	Black Anodized	#14.09.502
Zamak	Gold Plated	#14.09.503
Zamak	Bronze Plated	#14.09.504

Packing: 240 Pcs per Export Carton

Each lock is supplied with:
 2 SISO metal keys
 2 ABS plastic screw w/soft PVC-tip for tight fastening without boring
 1 Flat metal striking plate (not illustrated)


DOUBLE DOOR STRIKER F/SINGLE DOOR LOCK »BADGE«

- high quality furniture fittings



Application:

- Double door striker f/single glass door lock
- No boring required
- F/Glass thickness 4-5 mm



Specification:

Material	Finish	Item No.
Zamak	Chrome Plated	#14.09.510
Zamak	Alu Finish	#14.09.511
Zamak	Black Anodized	#14.09.512
Zamak	Gold Plated	#14.09.513
Zamak	Bronze Plated	#14.09.514

Packing:
240 Pcs per export carton

Each striker is supplied with:
2 ABS plastic screw w/soft PVC-tip for tight fastening without boring.



ABS Plastic Screws

EDGE STRIKER F/SINGLE DOOR LOCK »BADGE«

Application:

- Edge striker f/single glass door lock
- To be used when the glass door is to be flush with the edge of the cabinet
- Knock-in pins. Bore: \varnothing 5 x 9 mm




Specification:

Material	Finish	Item No.
Zamak	Chrome Plated	#14.09.515
Zamak	Alu Finish	#14.09.516
Zamak	Black Anodized	#14.09.517
Zamak	Gold Plated	#14.09.518
Zamak	Bronze Plated	#14.09.519

Packing:
480 Pcs per export carton



GLASS DOOR LOCK »BADGE« F/DOUBLE DOORS





Glass Door Lock »BADGE«
f/Double Doors



GLASS DOOR LOCK »BADGE« F/DOUBLE DOORS

Application:

- Glass door lock for double doors
- No boring required
- F/Glass thickness 4-5 mm
- 400 Key combinations or key alike
- Optional with master key & interchangeable system



ABS plastic screws

Specification:

Material	Finish	Item No.
Zamak	Chrome Plated	#14.09.540
Zamak	Alu Finish	#14.09.541
Zamak	Black Anodized	#14.09.542
Zamak	Gold Plated	#14.09.543
Zamak	Bronze Plated	#14.09.544


Packing: 240 Pcs per export carton

Each lock is supplied with:
 2 SISO metal keys
 2 ABS plastic screw w/soft PVC-tip for tight fastening without boring
 1 Flat metal striking plate

EDGE STRIKER F/DOUBLE DOOR LOCK »BADGE«

Application:

- Edge striker f/double glass door lock
- To be used when the glass door is to be flush with the edge of the cabinet
- Knock-in pins. Bore: \varnothing 5 x 9 mm



Specification:

Material	Finish	Item No.
Zamak	Chrome Plated	#14.09.550
Zamak	Alu Finish	#14.09.551
Zamak	Black Anodized	#14.09.552
Zamak	Gold Plated	#14.09.553
Zamak	Bronze Plated	#14.09.554

Packing:
480 Pcs per export carton



SISO METAL KEYS

Design to the fingertip

Application:

- 400 Key combinations or key alike
- Optional with master key & interchangeable system






**GLASS DOOR HINGE F/ALU FRAMES »BADGE«
F/INSET DOORS - TOP & BOTTOM**

Application:

- Glass door hinge with catch for inset doors. Top & bottom fixation
- No boring required but possible by using the extra extension screw supplied.
- F/Glass thickness 4-6 mm
- 110 Degree opening depending on fixation
- Horizontal screw fixation
- Max door size: 1000 x 400 mm



Specification:

Material	Finish	Item No.
Zamak	Chrome Plated	#15.06.205
Zamak	Alu Finish	#15.06.206
Zamak	Black Anodized	#15.06.207
Zamak	Bronze Plated	#15.06.208
Zamak	Gold Plated	#15.06.209

Packing:
240 Pairs (1 Top + 1 Bottom) per export carton

Each hinge is supplied with:
1 ABS plastic screw w/soft PVC-tip for tight fastening without boring and 1 ABS plastic screw w/hard \varnothing 5 x 3,5 mm ABS extension when boring required.

Optional: Metal screw w/ soft tip, 4 mm Hex

Material	Finish	Item No.
Steel	Bright zinc	#15.06.243



GLASS DOOR HINGE, F/ALU FRAMES »BADGE« F/INSET DOORS - CENTRE

Application:

- Glass door hinge with catch for inset doors. Centre – or top fixation for rounded doors
- For right & left hand doors
- No boring required but possible by using the extra extension screw supplied.
- F/Glass thickness 4-6 mm
- 110 Degree opening depending on fixation
- Horizontal screw fixation
- Max door size: 1000 x 400 mm

Specification:



Material	Finish	Item No. R/L
Zamak	Chrome Plated	#15.06.225/250
Zamak	Alu Finish	#15.06.226/251
Zamak	Black Anodized	#15.06.227/252
Zamak	Gold Plated	#15.06.228/253
Zamak	Bronze Plated	#15.06.229/254

Packing: 240 Pcs per export carton

Each hinge is supplied with:
1 ABS plastic screw w/soft PVC-tip for tight fastening without boring and 1 ABS plastic screw w/hard $\varnothing 5 \times 3,5$ mm ABS extension when boring required.

Optional: Metal screw w/ soft tip, 4 mm Hex

Material	Finish	Item No.
Steel	Bright zinc	#15.06.243



Optional: Metal screw



Top & Bottom Hinge

- Chrome Plated # 15.06.200
- Alu Finish # 15.06.201
- Black Anodized # 15.06.202
- Gold Plated # 15.06.203
- Bronze Plated # 15.06.204



Centre Hinge R/L

- Chrome Plated # 15.06.220/245
- Alu Finish # 15.06.221/246
- Black Anodized # 15.06.222/247
- Gold Plated # 15.06.223/248
- Bronze Plated # 15.06.224/249



Handle Single Door

- Chrome Plated # 17.40.050
- Alu Finish # 17.40.051
- Black Anodized # 17.40.052
- Gold Plated # 17.40.053
- Bronze Plated # 17.40.054



Handle Double Doors

- Chrome Plated # 17.40.070
- Alu Finish # 17.40.071
- Black Anodized # 17.40.072
- Gold Plated # 17.40.073
- Bronze Plated # 17.40.074



**Glass Door Lock
f/ Single Doors**

- Chrome Plated # 14.09.500
- Alu Finish # 14.09.501
- Black Anodized # 14.09.502
- Gold Plated # 14.09.503
- Bronze Plated # 14.09.504



**Glass Door Lock
f/ Double Doors**

- Chrome Plated # 14.09.540
- Alu Finish # 14.09.541
- Black Anodized # 14.09.542
- Gold Plated # 14.09.543
- Bronze Plated # 14.09.544



**Double Door Striker
f/ Single Door Lock**

- Chrome Plated # 14.09.510
- Alu Finish # 14.09.511
- Black Anodized # 14.09.512
- Gold Plated # 14.09.513
- Bronze Plated # 14.09.514



**Edge Striker
f/ Single Door Lock**

- Chrome Plated # 14.09.515
- Alu Finish # 14.09.516
- Black Anodized # 14.09.517
- Gold Plated # 14.09.518
- Bronze Plated # 14.09.519



**Edge Striker
f/ Double Door Lock**

- Chrome Plated # 14.09.550
- Alu Finish # 14.09.551
- Black Anodized # 14.09.552
- Gold Plated # 14.09.553
- Bronze Plated # 14.09.554



Top & Bottom Hinge

- Chrome Plated # 15.06.210
- Alu Finish # 15.06.211
- Black Anodized # 15.06.212
- Gold Plated # 15.06.213
- Bronze Plated # 15.06.214



Centre Hinge R/L

- Chrome Plated # 15.06.230/255
- Alu Finish # 15.06.231/256
- Black Anodized # 15.06.232/257
- Gold Plated # 15.06.233/258
- Bronze Plated # 15.06.234/259



Handle Single Door

- Chrome Plated # 17.40.060
- Alu Finish # 17.40.061
- Black Anodized # 17.40.062
- Gold Plated # 17.40.063
- Bronze Plated # 17.40.064



Handle Double Doors

- Chrome Plated # 17.40.080
- Alu Finish # 17.40.081
- Black Anodized # 17.40.082
- Gold Plated # 17.40.083
- Bronze Plated # 17.40.084



**Glass Door Lock
f/ Single Doors**

- Chrome Plated # 14.09.520
- Alu Finish # 14.09.521
- Black Anodized # 14.09.522
- Gold Plated # 14.09.523
- Bronze Plated # 14.09.524



**Glass Door Lock
f/ Double Doors**

- Chrome Plated # 14.09.555
- Alu Finish # 14.09.556
- Black Anodized # 14.09.557
- Gold Plated # 14.09.558
- Bronze Plated # 14.09.559



**Double Door Striker
f/ Single Door Lock**

- Chrome Plated # 14.09.530
- Alu Finish # 14.09.531
- Black Anodized # 14.09.532
- Gold Plated # 14.09.533
- Bronze Plated # 14.09.534



**Edge Striker
f/ Single Door Lock**

- Chrome Plated # 14.09.535
- Alu Finish # 14.09.536
- Black Anodized # 14.09.537
- Gold Plated # 14.09.538
- Bronze Plated # 14.09.539

**Edge Striker
f/ Double Door Lock**

- Chrome Plated # 14.09.565
- Alu Finish # 14.09.566
- Black Anodized # 14.09.567
- Gold Plated # 14.09.568
- Bronze Plated # 14.09.569



BADGE



Top & Bottom Short Hinge

Chrome Plated	# 15.06.205
Alu Finish	# 15.06.206
Black Anodized	# 15.06.207
Gold Plated	# 15.06.208
Bronze Plated	# 15.06.209



Centre Short Hinge R/L

Chrome Plated	# 15.06.225/250
Alu Finish	# 15.06.226/251
Black Anodized	# 15.06.227/252
Gold Plated	# 15.06.228/253
Bronze Plated	# 15.06.229/254

SQUARE



Top & Bottom Short Hinge

Chrome Plated	# 15.06.215
Alu Finish	# 15.06.216
Black Anodized	# 15.06.217
Gold Plated	# 15.06.219
Bronze Plated	# 15.06.218



Centre Short Hinge R/L

Chrome Plated	# 15.06.235/260
Alu Finish	# 15.06.236/261
Black Anodized	# 15.06.237/262
Gold Plated	# 15.06.238/263
Bronze Plated	# 15.06.239/264

METAL SCREW W/ SOFTTIP



**Metal Screw
w/ Soft tip**

Bright Zinc	# 15.06.243
-------------	-------------



- high quality furniture fittings

DESIGN REGISTERED

SISO A/S

Mileparken 11 Phone: (+45) 45 830 900
DK - 2740 Skovlunde Fax: (+45) 45 830 444 - 45 830 440
Denmark E-mail: siso@siso.dk Web: www.siso.dk